

Network Operation & Customer Service, Moghbazar, DPDC.
Groups of feeders for load shedding
at the time of Shehri, Ifter & Tarabih.

SI no.	Name of the Sub-Station	Name of the 11kv feeder	Max ^m demand (Amps) (Evening peak) July/10	No. of Mosque	Load shedding group	Remarks
1.	Moghbazar 33/11kv	Ispahani	150	6	A	
		Banglamotor	290	2	A	
		Kunipara	245	6	A	
		M.P Suit	10	0	A	
		Doctor Goli	150	2	B	
		Modhubag	275	8	B	
		Garden	240	2	B	
		Acarice	210	4	B	
		Nayatola	165	2	C	
		Eskaton	290	6	C	
		T&T	290	4	C	
		Mohakhali	110	3	C	
		Ambagan	255	6	D	
		Moghbazar Nearest	270	5	D	
2	Ullon local 33/11kv	West Malibagh	270	7	A	
		West Rampura	280	8	B	
		Mahanagar	190	7	C	
Total=			3900	81		

(Engr. Uttam Kumer Sarker)
Manager (Technical)
Network operation & customer service, Moghbazar

Network Operation & Customer Service, Moghbazar, DPDC.

Name of the Sub-Station : Moghbazar

Group	Name of the 11kv feeder	No. of Mosque	Max ^m demand (Amps) (July/10)	Affected Areas	Max ^m demand in MW
A	Ispahani	6	150	Tongi diversion road (east side), new circular road, moghbazar, doctorsgoli,.	11.58 (695A)
	Banglamotor	2	290	Eskaton, banglamotor, karwanbazar part & 2 nos. WASA pump	
	Kunipara	6	245	Kunipara area, osmani hostel, department of narcotic treatment center	
	M.P Suit	0	10	MP hostel	
B	Doctor Goli	2	150	Outer Circular road, moghbazar, doctorsgoli,.	14.58 (875A)
	Modhubag	8	275	Mirbagh, east nayatola, T&T colony & 2 nos. WASA pump.	
	Garden	2	240	Residence of govt. high officials at eskaton garden area.	
	Acarice	4	210	Begun bari, 1 no. WASA & 1 no. sewerage pump.	
C	Nayatola	2	165	Bara Moghbazar, peyarabagh, RAB-2 head quarter & 1 no. WASA pump.	14.25 (855A)
	Eskaton	6	290	New eskaton, dilu road, tongi diversion road, gaus nagar, janakantho bhaban, BIAM auditorium & 2 nos. WASA pump	
	T&T	4	290	Tejgaon I/A, samitee bazar, nakhalpara (part), 1 no WASA pump.	
	Mohakhali	3	110	Mohakhali dakhin para, tejgaon I/A (part) & mohakhali bus station.	
D	Ambagan	6	255	Chairman goli, shah-saheb mazar, amtola, greenway, & 2 nos. WASA pump.	12.75 (765A)
	Moghbazar Nearest	5	270	Tejgaon I/A & tejkunipara part & 4 nos. WASA pump	
	Kohinoor	3	240	Nabisco, Bangladesh oxygen.	

Name of the Sub-Station : Ullon Local

Group	Name of the 11kv feeder	No. of Mosque	Max ^m demand (Amps) (July/10)	Affected Areas	Max ^m demand in MW
A	West Malibagh	7	270	West malibagh, west hazipara, khilgaon chowdhury para, omar ali lane, sonalibagh, chan bakery goli.	4.50 (270A)
B	West Rampura	8	280	west rampura, ullon road, polashbagh, shimulbagh, ullon porabari, ullon bazar, bandhunibash & 2 nos. WASA pump.	4.67 (280A)
C	Mahanagar	7	190	WAPDA road, bagichartek & mohanagar project area.	3.17 (190A)

(Engr. Uttam Kumer Sarker)
Manager (Technical)

Network operation & customer service, Moghbazar

Network operation & customer service, Moghbazar, DPDC

Moghbazar 33/11 KV Sub-Station

Half an hourly Load sheddig schedule for Ramadan (Shehri, Ifter & Tarabih)																										
Gr.	No. of Mosq.	Max Demand	Day-1												Day-2											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-3												Day-4											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-5												Day-6											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-7												Day-8											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-9												Day-10											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-11												Day-12											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-13												Day-14											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-15												Day-16											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-17												Day-18											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-19												Day-20											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-21												Day-22											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-23												Day-24											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-25												Day-26											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-27												Day-28											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

Gr.	No. of Mosq.	Max Demand	Day-29												Day-30											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	14	10.5																								
B	16	9.0																								
C	15	10.0																								
D	14	9.5																								

(Engr. Uttam Kumer Sarker)
 Manager (Technical)
 Network operation & customer service Mogbazar

Network operation & customer service, Moghbazar, DPDC

Ullon Local 33/11 KV Sub-Station

Half an hourly Load shedding schedule for Ramadan (Shehri, Ifter & Tarabih)																										
Gr.	No. of Mosq.	Max Demand	Day-1												Day-2											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-3												Day-4											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-5												Day-6											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-7												Day-8											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-9												Day-10											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-11												Day-12											
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-13												Day-14												
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15
A	7	4.08																									
B	8	4.17																									
C	7	3.0																									

Gr.	No. of Mosq.	Max Demand	Day-15												Day-16													
			3:00	3:30	4:00	4:30	18:15	18:45	19:15	19:45	20:15	20:45	21:15	21:45	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30		
			MW	3:30	4:00	4:30	5:00	18:45	19:15	19:45	20:15	20:45	21:15	21:45	22:15	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	
A	7	4.08																										
B	8	4.17																										
C	7	3.0																										

Gr.	No. of Mosq.	Max Demand	Day-17												Day-18														
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30			
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00		
A	7	4.08																											
B	8	4.17																											
C	7	3.0																											

Gr.	No. of Mosq.	Max Demand	Day-19												Day-20															
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30				
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00			
A	7	4.08																												
B	8	4.17																												
C	7	3.0																												

Gr.	No. of Mosq.	Max Demand	Day-21												Day-22											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-23												Day-24											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-25												Day-26											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-27												Day-28											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

Gr.	No. of Mosq.	Max Demand	Day-29												Day-30											
			3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	3:00	3:30	4:00	4:30	18:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
			MW	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30	22:00	3:30	4:00	4:30	5:00	18:30	19:00	19:30	20:00	20:30	21:00	21:30
A	7	4.08																								
B	8	4.17																								
C	7	3.0																								

(Engr. Uttam Kumer Sarker)
 Manager (Technical)
 Network operation & cutomer service Mogbazar